

CAPSEAL 120MB MINYAK URUT CAPSULS BEAL MINYAK URUT CAPSULS BEAL THAMMA THAMA THAMMA THAMA THAMMA THAMMA THAMMA THAMMA THAMMA THAMMA THAMMA THAMA THAMMA T

Automatic Rotary Monoblock 8x8 Bottle

Plugging & Capping Machine

The Automatic 8x8 Head Rotary Monoblock Bottle Plugging & Capping Machine Model CAPSEAL-120^{MB} suitable for applying Plasitc Plug as well as ROPP or Plastic Screw Cap on various type of Bottles. Machine is suitable for Round or other shape of Glass, Plastic, PET, LDPE, HDPE Bottles with maximum speed of 120 Bottles per minute depending on Bottle Diameter, Bottle Height, Bottle Shape, Plug type/size and Cap Size. Specially Machine construction in Stainless Steel finish including machine M.S. frame structure with Stainless Steel Cladding/Enclosures. The Capping Machine is ideal for application in Pharmaceutical, Food, Pesticides, Cosmetic & Other Industries.

The Machine is equipped with Vibratory Plug Feeder and Orientation type Cap Feeder or Vibratory type Bowl Feeder depending on cap shape and size for continues feeding of Plug and Cap for online operation on any liquid or powder filling line. Machine suitable for various sizes of Bottles, Plug and Cap with the help of change parts. Capping Machine is suitable for application in Pharmaceutical and other industries requiring higher production speed on automatic online operation.

TECHNICAL SPECIFICATIONS

Bottle Size: Diameter Up to 85mm* or other Shape bottle with

proper base

Bottle Height: 300mm* Maximum

Cap Size: Upto 32mm*

Plug type/size : Required actual

Electrical: 415VAC 3Phase and 220 VAC Single Phase Power

Supply (50 Hz) with A.C. Drive

Power: 3.0 Hp

Conveyor Height: 850-900 mm

Overall Dimensions : 3000 mm (L) x 1300 mm (W) $\,$ x 2200 mm (H) Speed : Max. 120 Bottles per minute depending on Bottle, Plug

and Cap Size

* Specification can be changed as per customers requirements

SPECIAL/OPTIONAL FEATURES :

BROTHERS

- No Bottle No Plug, No Cap System
- No Plug Cap Machine Stop System*
- Machine construction in Stainless Steel Finish
- In-feed and Exit Star Wheel with Overload Clutch System to avoid Bottle breakage
- Single Drive Synchronizing Total Operation of Star Wheel and Turret with Star Wheel
- Cap Feeder with Variable Speed System for feeding control of caps.
- Minimum Change Over and Setting time
- Hopper can be completely dismantle for easy cleaning
- Various safety features including Clutch system to avoid Bottle Breakage
- Single Drive synchronizing operation of Conveyor and Star Wheel
- Minimum Change over time
- * Optional Features

Phone: +91 79 40213213 / 25831346

Email: sales@brothers.in Export: sales1@brothers.in